







P.O. BOX 425 EDEN, NC 27288 P. 336-627-0170 F. 336-627-0526 E. SAMPLES@EVELYNEARNEST.COM WWW.EVELYNEARNEST.COM

TRIFECTA TECHNICAL DATA

	CURRENT	HARLEQUIN	JIGSAW	MONDRIAN	PICKET	PINWALE
CONTENT	100% POLYESTER	100% POLYESTER	100% POLYESTER	100% POLYESTER	100% POLYESTER	100% POLYESTER
REPEAT	1,00 [™] V .5″H	3.375"V 2.5"H	6.75°°V 6.5°°Н	3.375"V .65"H		.5"V .5"Н
WIDTH	54''		54''		54"	54''
ABRASION	60,000+	60,000+	60,000+	60,000+	60,000+	60,000+
DESIGN	CUTRITE	CUTRITE	NON-DIRECTIONAL	CUTRITE	NON-DIRECTION	AL RAILROADED

COLORFASTNESS TO LIGHT: CLASS 5 (40 HRS.) CROCKING: WET CLASS 4.5 DRY CLASS 4.5 CLEANING CODE: W FINISH: BARRICADE (ANTIMICROBIAL/ANTIBACTERIAL) CAL. TB 117 SEC. E, CLASS 1 UFAC CLASS 1

BARRICADE

FABRIC SAMPLES ARE READILY AVAILABLE UPON REQUEST. CALL, FAX, OR ORDER SAMPLES ONLINE AT WWW.EVELYNEARNEST.COM SLIGHT COLOR DIFFERENCES MAY EXIST BETWEEN PRINTED IMAGES AND ACTUAL FABRICS.



ATLANTIC

CAPRI

ACACIA









SEPIA



GRANITE



MEADOW



FOREST






WOODSTAIN



ASHES







EMERALD

JUNIPER

GRASS



MIDNIGHT

CERULEAN

GARDEN



SKY

EMERALD

FOREST



PICKET

FORSYTHIA

DRIFTWOOD

SHINGLE

RIVER

POND

WROUGHT IRON

PICKET

LEAF

OLIVE

GRASS



Barricade[™] performance finish is a permanant application that will protect your fabrics from spills and stains.

Chemistry

- Permanent
- Environmentally Safe
- Recyclable
- No formaldehyde
- No PFOA
- No impact on inherent FR characteristics of fabric
- Can be combined with other finishing applications

Performance


- Repels liquids including but not limited to:
 - Water
 - Coffee
 - Soda
 - Wine
 - Salad Dressing
- Breathable
- Maintains hand

Cleaning Instructions

- Liquids
 - -Blot with dry cloth
 - -Wipe with clean water
- Soft and dried Spots
 - -Wipe with water and clean cloth
 - -Lightly brush with soft bristle brush
 - -Mild detergents can be used for stubborn stains

Applications (Markets)

- Healthcare, educational, hospitality, residential
- Seating, pews, drapery, panel fabrics, wall covering



EVELYN EARNEST, INC.

P.O. BOX 425

EDEN, NC 27288

P. 336-627-0170

F. 336-627-0526

E. SAMPLES@EVELYNEARNEST.COM

WWW.EVELYNEARNEST.COM

FABRIC SAMPLES ARE READILY AVAILABLE UPON REQUEST. CALL, FAX, OR ORDER SAMPLES ONLINE AT WWW.EVELYNEARNEST.COM

SLIGHT COLOR DIFFERENCES MAY EXIST BETWEEN PRINTED IMAGES AND ACTUAL FABRICS.